

# Work Positioners, WP 65

## WP 65

Operates with loads of up to 65kg. Weight distribution is spread evenly over all four swivelling wheels and with the unit's short wheelbase and light self-weight the WP is the safest and most manoeuvrable lifter on the market! An improvement in the working environment resulting in greater profitability for your company.

## Work Positioners

Work Positioners operates with loads of up to 205kg. Weight distribution is spread evenly over all four swivelling wheels and with the unit's short wheelbase and light self-weight the Work Positioner is the safest and most manoeuvrable lifter on the market!

An improvement in the working environment resulting in greater profitability for your company.

### Charger

Charge indicator highlights battery condition and cannot overcharge the battery using an auto-cut-off function. The unit is suitable for most worldwide voltages.

### Perfect weight distribution

Due to the lifting mast unique positioning at the rear of the chassis Edmolift have achieved near perfect weight distribution providing unrivalled manoeuvrability. The 100% vertical mast eliminates problems such as platform drift found on other products.

### Compact design

The WP features an extremely compact design which is also very easy to clean.

## Product features

- Dual speed elevation and descent for safer, more efficient control.
- Battery charge indicator mounted centrally on the push handle in direct view.
- Easily customised for your specific requirements - higher lift heights, wider straddles etc.
- Options include: box handlers, reel handlers, barrel handlers, sack handlers etc.
- Fully compliant with EN1757.1 and CE-marked.

## Specifications, WP 65

Model	WP 65
Art. no.	85803
Capacity	65 kg
Max. platform height	1440 mm
Closed height	125 mm
Length	735 mm
Width	470 mm
Height	1600 mm
Loading area width	470 mm



# Work Positioners, WP 65

Loading area length	410 mm
Battery	24V/7,2Ah kg
Charger	1,5A/230V kg
Weight pack. incl.	39 kg

## Work Positioners, WP 65


### Box/crate handling forks

Your ideal solution for lifting and handling boxes and crates with a pick up lip. The forks simply fit either side of the box or crate and secure the load using the lip around the rim of the container. The size of the forks can be made to suit your requirements.



### Box/crate handling forks and removable stainless steel platform

With all the advantages of the box/crate forks but with the added benefits of a removable stainless steel general purpose platform.



### Foldable plastic platform

Under the all purpose Polyurethane platform you will find a pair of lifting forks. A great tool for many lifting and handling applications. The platform simply hinges upward and locks in position to reveal the steel section forks.



### Jib arm with lifting eye bolt

Jib arm length can be made to suit your load, works as a crane arm. A great tool for lifting and positioning loads that have to be lifted from above.



### Slotted plastic platform

Slots can be cut out in the platform to suit for special design.



### Platform with lead roller

The lead gravity roller assists with the transfer of the load onto and off the platform.



### Reel mandrel

Designed to lift packing reels with a standard 48mm core size and transfer them to packing line or reel stand.



# Work Positioners, WP 65

## Twin mandrel

Reels and runs locate on the two mandrels leaving the core free to locate on the packing line take off spool.



## V-cradle

Reel is secured on the cradle leaving the core free for a spigot to be passed through it and then lifted onto the packing line.



## Quick bracket

If you have two or more attachments then this is the right option for you! Rather than using time consuming screw in fixings this option allows you to change attachments in seconds.

